REPORT NUMBER: [redacted]

Sample Photo



深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦二楼 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 [redacted] Fax: +86 592 8060 054

intertek
Total Quality. Assured.

Test Report

Number: [redacted]

Applicant: [redacted]

Date: Nov 20, 2026

[redacted]

Sample Description As Declared :

No. Of Sample	:	One
Fibre Content	:	PET
Material	:	PET FOIL
Finishing	:	-
End Uses	:	Colour Transfer
Season	:	-
Colour	:	Silver
Style No.	:	-
Order No./PO No.	:	-
Standard	:	-
Buyer's Name	:	-
[redacted]		
Ref.	:	-

Applicant's Provided Care Instruction/Label :

-

Date Received/Date Test Started : Nov 13, 2026

Date Final Information Confirmed: -

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Xiamen Branch

Robin Luo
Lab Manager

[redacted]

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦之楼 2C 和四楼 4C、4D、4L, 361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 389 Fax: +86 592 8060 054

Total Quality. Assured.

Test Report

Number: [redacted]

Conclusion:

SVHC-250	M1

Note : C = Conform Label
M = Meet Applicant's Requirement
F = Fail To Meet Applicant's Requirement
# = No Comment
* = See Remark

M* = Commercially Acceptable
F* = Commercially Unacceptable
N/A = Not Applicable
- = Did Not Perform

Remark:
M1 The composite samples passes in Substance of Very High Concern - SVHC Screening Test

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Xiamen Branch

Robin Luo
Lab Manager

[redacted]

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦之楼 2C 和四楼 4C、4D、4L, 361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 389 Fax: +86 592 8060 054

Test Report

Number: [redacted]

Tests Conducted (As Requested By The Applicant)

1 SVHC Testing

(I) SVHC Testing Results

By Inductively Coupled Plasma Optical Emission Spectrometry, Ion Chromatography, UV-Visible Spectrophotometry, Gas Chromatographic - Mass Spectrometry, Liquid Chromatographic - Mass Spectrometry and High Performance Liquid Chromatography analysis.

Batch	Chemical Substance	CAS No.	Results % (w/w)
			(1)
-	Tested SVHCs in Chemical list	-	ND

SVHC = Substance of very high concern
ND = Not detected
Reporting limit = 0.010%
Note:

1. Composite test has been performed in equal proportion for the materials per client requested
2. In consideration of the analysis requirement and the limit of sample volume, the screening test for the article is based on materials enough to test

(II) Tested groups: See component list in the last section of this report.

(III) Tested SVHC Chemical list
Tested SVHC Chemical candidate list:

	Chemical Substance	CAS No.		Chemical Substance	CAS No.
1	Cobalt Dichloride Δ	7646-79-9	2	Diarsenic Pentaoxide Δ	1303-28-2
3	Diarsenic Trioxide Δ	1327-53-3	4	Lead Hydrogen Arsenate Δ	7784-40-9
5	Triethyl Arsenate Δ	15606-95-8	6	Sodium Dichromate Δ	7789-12-0, 10588-01-9
7	Bis (Tributyltin) Oxide (TBTO) Δ	56-35-9	8	Anthracene	120-12-7

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH 检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

9	4,4'-Diaminodiphenylmethane (MDA)	101-77-9	10	Hexabromocyclododecane (HBCDD) and All Major Diastereoisomers Identified (α-HBCDD, β-HBCDD, γ-HBCDD)	25637-99-4 and 3194-55-6 (134237-50-6,134237-51-7, 134237-52-8)
11	5-Tert-Butyl-2,4,6-Trinitro-m-Xylene (Musk Xylene)	81-15-2	12	Bis (2-Ethylhexyl) Phthalate (DEHP)	117-81-7
13	Dibutyl Phthalate (DBP)	84-74-2	14	Benzyl Butyl Phthalate (BBP)	85-68-7
15	Short Chain Chlorinated Paraffins (C_{10-13})	85535-84-8	16	Lead Chromate Δ	7758-97-6
17	Lead Chromate Molybdate Sulphate Red (C.I. Pigment Red 104) Δ	12656-85-8	18	Lead Sulfochromate Yellow (C.I. Pigment Yellow 34) Δ	1344-37-2
19	Tris (2-Chloroethyl) Phosphate	115-96-8	20	2,4-Dinitrotoluene	121-14-2
21	Diisobutyl Phthalate (DIBP)	84-69-5	22	Coal Tar Pitch, High Temperature	65996-93-2
23	Anthracene Oil	90640-80-5	24	Anthracene Oil, Anthracene Paste, Distn. Lights	91995-17-4
25	Anthracene Oil, Anthracene Paste, Anthracene Fraction	91995-15-2	26	Anthracene Oil, Anthracene-low	90640-82-7
27	Anthracene Oil, Anthracene Paste	90640-81-6	28	Acrylamide	79-06-1
29	Boric Acid Δ	10043-35-3, 11113-50-1	30	Disodium Tetraborate, Anhydrous Δ	1330-43-4, 12179-04-3, 1303-96-4
31	Tetraboron Disodium Heptaoxide, Hydrate Δ	12267-73-1	32	Sodium Chromate Δ	7775-11-3
33	Potassium Chromate Δ	7789-00-6	34	Ammonium Dichromate Δ	7789-09-5

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH
检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

35	Potassium Dichromate Δ	7778-50-9	36	Trichloroethylene	79-01-6
37	2-Methoxyethanol	109-86-4	38	2-Ethoxyethanol	110-80-5
39	Cobalt Sulphate Δ	10124-43-3	40	Cobalt Dinitrate Δ	10141-05-6
41	Cobalt Carbonate Δ	513-79-1	42	Cobalt Diacetate Δ	71-48-7
43	Chromium Trioxide Δ	1333-82-0	44	Chromic Acid Δ Dichromic Acid Δ Oligomers of Chromic Acid and Dichromic Acid Δ	7738-94-5 13530-68-2 --
45	Strontium ChromateΔ	7789-06-2	46	2-ethoxyethyl acetate (2-EEA)	111-15-9
47	1,2-Benzenedicarboxylic acid, di-C_{7-11}-branched and linear alkyl esters (DHNUP)	68515-42-4	48	Hydrazine	7803-57-8 302-01-2
49	1-methyl-2-pyrrolidone	872-50-4	50	1,2,3-trichloropropane	96-18-4
51	1,2-Benzenedicarboxylic acid, di-C_{6-8}-branched alkyl esters, C_7-rich (DIHP)	71888-89-6	52	Lead dipicrateΔ	6477-64-1
53	Lead styphnateΔ	15245-44-0	54	Lead azide; Lead diazideΔ	13424-46-9
55	Phenolphthalein	77-09-8	56	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4
57	N,N-dimethylacetamide (DMAC)	127-19-5	58	Trilead diarsenateΔ	3687-31-8
59	Calcium arsenateΔ	7778-44-1	60	Arsenic acidΔ	7778-39-4
61	Bis(2-methoxyethyl) ether	111-96-6	62	1,2-Dichloroethane	107-06-2

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦一楼 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

63	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	64	2-Methoxyaniline; o-Anisidine	90-04-0
65	Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	66	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4
67	Pentazinc chromate octahydroxideΔ	49663-84-5	68	Potassium hydroxyoctaoxodizincate di-chromateΔ	11103-86-9
69	Dichromium tris(chromate)Δ	24613-89-6	70	Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)
71	Zirconia Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)	72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	74	Diboron trioxideΔ	1303-86-2
75	Formamide	75-12-7	76	Lead(II) bis(methanesulfonate) Δ	17570-76-2
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) *[with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] +*	548-62-9	82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) *[with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] +*	2580-56-5
83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) *[with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] +*	6786-83-0	84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] *+*	561-41-1
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	86	Pentacosafluorotridecanoic acid	72629-94-8
87	Tricosafluorododecanoic acid	307-55-1	88	Henicosafluoroundecanoic acid	2058-94-8
89	Heptacosafluorotetradecanoic acid	376-06-7	90	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

91	Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans- isomers [1] are covered by this entry].	85-42-7 13149-00-3 14166-21-3	92	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0 19438-60-9 48122-14-1 57110-29-9
93	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--	94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	--

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

95	Methoxyacetic acid	625-45-6	96	N,N-dimethylformamide	68-12-2
97	Dibutyltin dichloride (DBTC) Δ	683-18-1	98	Lead monoxide (Lead oxide) Δ	1317-36-8
99	Orange lead (Lead tetroxide) Δ	1314-41-6	100	Lead bis(tetrafluoroborate) Δ	13814-96-5
101	Trilead bis(carbonate)dihydroxide Δ	1319-46-6	102	Lead titanium trioxideΔ	12060-00-3
103	Lead titanium zirconium oxideΔ	12626-81-2	104	Silicic acid, lead salt Δ	11120-22-2
105	Silicic acid ($H_2Si_2O_5$), barium salt (1:1), lead-dopedΔ [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	106	1-bromopropane (n-propyl bromide)	106-94-5
107	Methyloxirane (Propylene oxide)	75-56-9	108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0
109	Diisopentylphthalate (DIPP)	605-50-5	110	N-pentyl-isopentylphthalate	776297-69-9
111	1,2-diethoxyethane	629-14-1	112	Acetic acid, lead salt, basicΔ	51404-69-4

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

113	Lead oxide sulfateΔ	12036-76-9	114	[Phthalato(2-)]dioxotrileadΔ	69011-06-9
115	Dioxobis(stearato)trilleadΔ	12578-12-0	116	Fatty acids, C16-18, lead saltsΔ	91031-62-8
117	Lead cynamidateΔ	20837-86-9	118	Lead dinitrateΔ	10099-74-8
119	Pentalead tetraoxide sulphateΔ	12065-90-6	120	Pyrochlore, antimony lead yellowΔ	8012-00-8
121	Sulfurous acid, lead salt, dibasicΔ	62229-08-7	122	TetraethylleadΔ	78-00-2
123	Tetralead trioxide sulphateΔ	12202-17-4	124	Trilead dioxide phosphonateΔ	12141-20-7
125	Furan	110-00-9	126	Diethyl sulphate	64-67-5
127	Dimethyl sulphate	77-78-1	128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	130	4,4'-methylenedi-o-toluidine	838-88-0
131	4,4'-oxydianiline and its salts	101-80-4	132	4-aminoazobenzene	60-09-3
133	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	134	6-methoxy-m-toluidine (p-cresidine)	120-71-8
135	Biphenyl-4-ylamine	92-67-1	136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine])	97-56-3
137	o-toluidine	95-53-4	138	N-methylacetamide	79-16-3
139	CadmiumΔ	7440-43-9	140	Cadmium oxideΔ	1306-19-0

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH 检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

141	Dipentyl phthalate (DPP)	131-18-0	142	4-Nonylphenol, branched and linear, ethoxylated *[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]*	--
143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1
145	Cadmium sulphideΔ	1306-23-6	146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	148	Dihexyl phthalate (DnHP)	84-75-3
149	Imidazolidine-2-thione (2-imidazoline-2-thiol)	96-45-7	150	Lead di(acetate) Δ	301-04-2

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH
检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

151	Trixylyl phosphate	25155-23-1	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (Diisohexyl phthalate(DIHP))	68515-50-4
153	Cadmium chlorideΔ	10108-64-2	154	Sodium perborate; perboric acid, sodium saltΔ	--
155	Sodium peroxometaborateΔ	7632-04-4	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1
157	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1
159	Cadmium fluorideΔ	7790-79-6	160	Cadmium sulphateΔ	10124-36-4; 31119-53-6
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	15571-58-1; 27107-89-7	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 68648-93-1

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH 检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	117933-89-8	164	Nitrobenzene	98-95-3
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3
167	1,3-propanesultone	1120-71-4	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	170	4,4'-isopropylidenediphenol (bisphenol A; BPA)	80-05-7
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7	172	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--
173	p-(1,1 dimethylpropyl)phenol	80-46-6	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	355-46-4

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH 检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn- isomers or any combination thereof]	13560-89-9 135821-74-8 135821-03-3	176	Benz[a]anthracene	56-55-3
177	Cadmium nitrateΔ	10325-94-7	178	Cadmium carbonateΔ	513-78-0
179	Cadmium hydroxideΔ	21041-95-2	180	Chrysene	218-01-9
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	--	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA)	552-30-7
183	Dicyclohexyl phthalate (DCHP)	84-61-7	184	Octamethylcyclotetrasiloxane (D4)	556-67-2
185	Decamethylcyclopentasiloxane (D5)	541-02-6	186	Dodecamethylcyclohexasiloxane (D6)	540-97-6
187	Lead	7439-92-1	188	Disodium octaborateΔ	12008-41-2
189	Benzo[ghi]perylene	191-24-2	190	Terphenyl hydrogenate	61788-32-7
191	Ethylenediamine (EDA)	107-15-3	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one	15087-24-8
193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	194	Benzo[k]fluoranthene	207-08-9
195	Fluoranthene	206-44-0	196	Phenanthrene	85-01-8

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH
检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

197	Pyrene	129-00-0	198	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	--
199	4-tert-butylphenol (PTBP)	98-54-4	200	2-methoxyethyl acetate	110-49-6
201	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP)	--	202	Diisohexyl phthalate	71850-09-4
203	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5
205	Perfluorobutane sulfonic acid (PFBS) and its salts	--	206	1-vinylimidazole	1072-63-5
207	2-methylimidazole	693-98-1	208	Dibutylbis(pentane-2,4-dionato-O,O')tinΔ	22673-19-4
209	Butyl 4-hydroxybenzoate (Butylparaben)	94-26-8	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moietyΔ	--	212	1,4-dioxane	123-91-1

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦一楼 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH
检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

213	2,2-bis(bromomethyl)propane1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0 36483-57-5 1522-92-5 96-13-9	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	--
215	4,4'-(1-methylpropylidene)bisphenol	77-40-7	216	Glutaral	111-30-8
217	Medium-chain chlorinated paraffins (MCCP) (UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17)	--	218	Orthoboric acid, sodium saltΔ	13840-56-7
219	Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	--	220	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦一楼 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

221	tris(2-methoxyethoxy)vinyl silane	1067-53-4	222	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene] bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	--
223	S-(tricyclo(5.2.1.02,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate Δ	255881-94-8	224	N-(hydroxymethyl)acrylamide	924-42-5
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7
227	4,4'-sulphonyldiphenol	80-09-1	228	Barium diboron tetraoxideΔ	13701-59-2
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	--	230	Isobutyl 4-hydroxybenzoate	4247-02-3
231	Melamine	108-78-1	232	Perfluoroheptanoic acid and its salts	--
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	--	234	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

INTERTEK TESTING SERVICES SHENZHEN LTD. XIAMEN BRANCH 检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

235	Bis(4-chlorophenyl) sulphone	80-07-9	236	2,4,6-tri-tert-butylphenol (2,4,6-TTBP)	732-26-3
237	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329)	3147-75-9	238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4
239	Bumetrizole (UV-326)	3896-11-5	240	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol (OAPP)	-
241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	242	Triphenyl Phosphate	115-86-6
243	Octamethyltrisiloxane	107-51-7	244	O,O,O-triphenyl phosphorothioate (TPPT)	597-82-0
245	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	192268-65-8	246	Perfluamine	338-83-0
247	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl] hexanoic acid	2156592-54-8	248	Decamethyltetrasiloxane	141-62-8
249	1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy]trisiloxane	17928-28-8	250	Tetra(sodium/potassium)-7-[(E)-{2- acetamido-4-[(E)-(4-{[4-chlor-6-({2-[(4-f luor-6-{[4-(vinylsulfonyl)phenyl]amino}-1,3,5-triazin-2-yl)amino]propyl}amino)-1,3,5- triazin-2-yl]amino}-5-sulf onato-1-naphthyl)diazenyl]-5-methoxyphenyl}diazenyl]-1,3,6-naphthalin (Reactive Brown 51)	--

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

251	1,1'-(ethane-1,2-diyl)bis[pentabromobenzene] (DBDPE)	84852-53-9	252	n-Hexane	110-54-3
253	4,4'-[2,2,2-Trifluoro-1-(trifluoromethyl)ethylidene]diphenol (BPAF) and its salts	--			

Tested proposed SVHC Chemicals list (Substance in the list of 1 chemical in the draft Commission Implementing Decision proposed by European Commission, and published as Notification G/TBT/N/EU/803 on World Trade Organization (WTO) on 1 June 2021):

No.	Chemical Substance	CAS No.	No.	Chemical Substance	CAS No.
1	Resorcinol	108-46-3			

Tested proposed SVHC Chemicals list (chemicals proposed by European Chemicals Agency (ECHA) for public consultation on 1 September 2025):

No.	Chemical Substance	CAS No.	No.	Chemical Substance	CAS No.
1	4,4'-Methylenediphenol (BPF)	620-92-8			

Δ = Determination was based on elemental analysis. The content was calculated based on assumption of worst-case.
+ = The content was calculated based on assumption of worst-case.

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦一楼 2C 和四楼 4C、4D、4L, 361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

SVHC Requirements

Following substances may be identified as substance of very high concern (SVHC):
Substances classified as:

(a) Carcinogenicity category 1A or 1B;
(b) Germ cell mutagenicity category 1A or 1B;
(c) Reproductive toxicity category 1A or 1B, adverse effects on sexual function and fertility or on development;
(d) Persistent, bioaccumulative and toxic (PBT)
(e) Very persistent and very bioaccumulative (vPvB)
(f) Other substances for which there is scientific evidence of probable serious effects to human health or the environment which give rise to an equivalent level of concern, such as endocrine disrupters

REACH Requirement:

As per Article 7 of Regulation (EC) No 1907/2006 (REACH) as amended, if a substance of very high concern (SVHC) on the Candidate List for Authorisation is present in articles above a concentration of 0.1% weight by weight (w/w) and the substance is present in those articles in quantities totalling over 1 tonne per producer or per importer per year, then the producer or importer shall notify the European Chemicals Agency (ECHA). The notifications have to be submitted no later than 6 months after the inclusion in the Candidate List. The information to be notified shall include the following:

(a) Identity and contact details of the producer or importer;
(b) Registration number(s), if available;
(c) Identity of the substance;
(d) Classification of the substance(s);
(e) Brief description of the use(s) of the substance(s) in the article and of the uses of the article(s);
(f) Tonnage range of the substance(s).

As per Article 31 of Regulation (EC) No 1907/2006 (REACH) as amended, the supplier of mixture not classified as hazardous according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP), shall provide the recipient at his request with a safety data sheet, where a mixture contains at least one substance on the SVHC list (Candidate List of substances of very high concern for Authorisation) and its individual concentration is of 0.1% or above by weight for non-gaseous mixtures.

As per Article 33(1) of Regulation (EC) No 1907/2006 (REACH) as amended, any supplier of an article containing a substance of very high concern (SVHC) on the Candidate List for Authorisation in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with information of safe use of the article. An article meets the requirement of Article 33(1) by default when no SVHC exceeds 0.1% weight by weight (w/w).

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

检验检测专用章 (2)

Tests Conducted (As Requested By The Applicant)

As per Article 33(2) of Regulation (EC) No 1907/2006 (REACH) as amended, any supplier of an article containing a substance of very high concern (SVHC) on the Candidate List for Authorisation in a concentration above 0.1% weight by weight (w/w) shall provide the consumer on request with information of safe use of the article, within 45 days of receipt of the request.

As per Court of Justice of the European Union Judgment in Case C-106/14, Press Release No 100/15 dated 10 September 2015, each of the articles incorporated as a component of a complex product is covered by the relevant duties to notify and provide information when they contain a substance of very high concern in a concentration above 0.1% of their mass.

Waste Framework Directive (WFD) Requirement:
As per Article 9(1)(i) of Directive 2008/98/EC on waste (WFD, Waste Framework Directive) as amended, Member States shall take measures to ensure that any supplier of an article as defined in point 33 of Article 3 of Regulation (EC) No 1907/2006 (REACH) provides the information pursuant to Article 33(1) of Regulation (EC) No 1907/2006 (REACH) to the European Chemicals Agency (ECHA) as from 5 January 2021. Any supplier of an article containing a substance of very high concern (SVHC) on the Candidate List for Authorisation in a concentration above 0.1% weight by weight (w/w) on the EU market is required to submit a SCIP Notification on that article to ECHA, as from 5 January 2021.

Test Components :

(1) Reflective silver colour plastic

Remark: The test was performed by an approved subcontractor laboratory which is part of the Intertek Group.

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054

Tests Conducted (As Requested By The Applicant)

End of Report

The statement of conformity in this report is based on the decision rules agreed upon by the Client. Intertek has taken into account the measurement uncertainty calculated by the laboratory. This applies only where no specific decision rules are defined by the Client, regulatory requirements, or standard specifications. Please note that the applied decision rule is applicable solely to numerical test results. For any other cases where specific decision rules have been established by the Client, regulations, or standards, those rules will take precedence over the general guidelines used herein.
This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client, Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek assumes no liability to any party, other than to the Client in accordance with responsible for all the information provided in the reports, except when information is provided the agreement, for any loss, expense or damage occasioned by the use of this report, Intertek is responsible for all the information provided in the report, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.
All samples information provided in this report was submitted by the Client. The Client is solely responsible for the accuracy and completeness of the samples and associated information. The observations and test results in this report are relevant to the sample(s) tested and submitted by client, The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person.
Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full, Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek, This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Leo / tinanchen

深圳天祥质量技术服务有限公司厦门分公司
福建省厦门火炬高新区创新路 2 号兴联电子大厦一楼 2C 和四楼 4C、4D、4L，361006
Intertek Testing Services Shenzhen Ltd. Xiamen Branch
Unit 2C, 2/F. & Unit 4C/4D/4L,4/F, Xinglian Building, No. 2, Chuangxin Road, Huoju Hi-tech Zone, Xiamen, Fujian, China
Tel: +86 592 8063 339 Fax: +86 592 8060 054